

AN APPROACH TO THE DETERMINATION OF METALS IN THE EMISSIONS FROM E-CIGARETTES

Dr Des Dalton, Nicoventures Trading Limited

17th October 2024

FOR DISCUSSION PURPOSES ONLY

PRESENTATIONS ARE INTENDED FOR INFORMATIONAL PURPOSES ONLY. STATEMENTS OF FACT AND OPINIONS EXPRESSED ARE THOSE OF THE PRESENTER ONLY, AND ARE NOT NECESSARILY THE OPINIONS, POSITIONS OR POLICIES OF BRITISH AMERICAN TOBACCO (INVESTMENTS) LIMITED OR ITS AFFILIATES (“BAT”). BAT DOES NOT ENDORSE OR APPROVE, AND ASSUMES NO RESPONSIBILITY FOR THE CONTENT, ACCURACY OR COMPLETENESS OF THE INFORMATION PRESENTED. THESE MATERIALS MAY PRESENT CONCEPTS, EXECUTIONS, IDEAS AND THEMES THAT ARE NOT LEGALLY PERMISSIBLE (EITHER IN WHOLE OR IN PART) OR ACCEPTABLE IN CERTAIN JURISDICTIONS, OR WHICH MAY INFRINGE THIRD-PARTY RIGHTS. THIS PRESENTATION MAY CONTAIN REFERENCES TO LAWS AND REGULATIONS THAT MAY CHANGE OVER TIME AND SHOULD BE INTERPRETED IN THAT CONTEXT.

THIS PRESENTATION IS INTENDED FOR SCIENTISTS AND POLICYMAKERS. WE ENCOURAGE PERSONS INTERESTED IN TOBACCO HARM REDUCTION TO CONSIDER ALL POINTS OF VIEW AND SOURCES OF INFORMATION. BAT DOES NOT MAKE HEALTH CLAIMS REGARDING ITS BRANDS. NOTHING CONTAINED HERE SHOULD BE MISCONSTRUED TO THE CONTRARY. TO THE EXTENT THAT THIRD-PARTY SOURCES ARE REFERENCED, NEITHER THE PRESENTER NOR BAT IS RESPONSIBLE FOR THE CONTENT OF REFERENCED SOURCES AND THE VIEWS EXPRESSED MAY NOT REPRESENT THE VIEWS OF THE PRESENTER OR BAT. NO TOBACCO PRODUCT IS SAFE, ALL TOBACCO PRODUCTS CONTAINING NICOTINE ARE ADDICTIVE. YOUTH SHOULD NEVER USE TOBACCO. SMOKERS WHO ARE CONCERNED ABOUT THEIR HEALTH SHOULD QUIT.

THE TOPICS, CONCEPTS AND OTHER INFORMATION DISCUSSED HEREIN ARE NOT FINAL, ARE SUBJECT TO CHANGE AND/OR CANCELLATION AND MAY BE FOR ILLUSTRATIVE OR THEORETICAL PURPOSES ONLY. NO DEFINITIVE PLANS OR COMMITMENTS SHOULD BE INFERRED FROM THESE MATERIALS AND ANY PROPOSED PLANS OR COMMITMENTS ARE SUBJECT IN ALL RESPECTS TO APPLICABLE INTERNAL REVIEW AND GOVERNANCE REQUIREMENTS AND LAWS AND REGULATIONS IN RESPECTIVE JURISDICTIONS.

Talk Outline

1

Study objectives

2

The e-cigarette and potential sources of metals

3

Artificial enhancement of an e-liquid

4

Aerosol generation and analysis

5

Potential next steps

Study Objectives

1. To evaluate an approach for the artificial enhancement of the levels of metals in an e-liquid to aid development of metals in aerosol methodology.
2. To assess the efficiency of the transfer of metal from the e-liquid to the e-aerosol.
3. To inform of study design/next steps for a larger study

What could be the potential sources of metals in an e-cigarette aerosol ?

Ingoing ingredients



*Base components
Flavours*

Manufacturing processes



Device Components




*Heaters
Battery connectors*

Which metals to look for?

Metals associated with components used in your materials of construction plus any others regulatory bodies request.

Vaping device categories with testing challenges

Pod



Disposable



Experimental Design




Pre-Cleaned Quartz Filter Pad

Standard quartz filter pad was “cleaned” with a process using deionised water and nitric acid to lower the background levels of metals




Experimental Design



Liquid Results




Results e-liquid



Results emissions


Nickel levels in emission ng/pad



Transfer from e-liquid to e-aerosol




216 mg aerosol
7340 ng Ni in
theory on pad




Mean measured
Ni on pad
1090 ng (3SF)

Transfer 15%
Range 12-18% (n=5)



217 mg aerosol
15,800 ng Ni in
theory on pad




Mean measured
Ni on pad
2470 ng (3SF)

Transfer 16%
Range 15-18% (n=5)

Summary

- Soaking nickel in an e-liquid and storing at elevated temperature has proved to be an effective method for enhancing the level of the metal in the e-liquid
- The transfer of nickel from the e-liquid to the CFP ranged from 12-18% irrespective of the starting level of nickel
- This was a small scale study on only one e-liquid and one metal but it does show that the methodology works



Potential Next Steps

An understanding of the transfer rates of different metals could be an important consideration when designing studies where spiking of e-liquids with studied metals is likely to be a key experimental requirement.

- Will extend the range of metals and use the CORESTA reference device and reference e-liquid


Aspire Nautilus 3



Nautilus - BVC NS
Atomizerheads 1.8 ohms



VAPORESSO TARGET
100 HEATER



CORESTA e-liquid Prototype B Tobacco e-liquid

(2023 Aerosol Proficiency Study: Reference Device)

Acknowledgements



- Jason Adamson (BAT), Charlotte Caddick (BAT), Carol Goss (BAT)
- BAT/Nicoventures